

Application of solar container harness





Application of solar container harness

epub?

epubpdf,,epub? epub? ,epub: 1: ...



**steamapplication load error
3:0000065432,?**

, F-secure? ,? ,,?



(software)(application)?

(software)(application)? (software)(application,
app),? , ...




WPS ?

office6,? 8?C,Documents and SettingsAll
UsersApplication DataKingsoft,office6? 9?,,WPS,
...



12.8V6Ah



Nominal voltage (V):12.8
 Nominal capacity (ah):6
 Rated energy (Wh):76.8
 Maximum charging voltage (V):14.6
 Maximum charging current (a):6
 Floating charge voltage (V):13.6-13.8
 Maximum continuous discharge current (a):10
 Maximum peak discharge current @10 seconds (a):20
 Maximum load power (W):100
 Discharge cut-off voltage (V):10.8
 Charging temperature (°C):-10-+50
 Discharge temperature (°C):-20-+60
 Working humidity: <95% R.H (non condensing)
 Number of cycles (25 °C, 0.5c, 100%doD): >2000
 Cell combination mode: 32700-4s1p
 Terminal specification: T2 (6.3mm)
 Protection grade: IP65
 Overall dimension (mm):90*70*107mm
 Reference weight (kg):0.7
 Certification: un38.3/msds



CAD?

1?cad(dwg)---- (AUTOCAD application autocad DWG launcher,)--? 2? : " ...

PublicationApplication number?

PublicationApplication number? Publication date ? A1,Publication,Applic... ...



„ ...

! ,? 3,3,360, ...





Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.crossworldtours.co.za>