

The future of solar container industry





The future of solar container industry



Pandas replace and downcasting deprecation since version 2.2.0

To opt-in to the future behavior, set `\pd.set_option('future.no_silent_downcasting', True)` 0 1 1 0 2 2 3 1 dtype: int64 If I understand the warning correctly, the object dtype is "downcast" to ...

std::future::wait_for

If the future is the result of a call to `std::async` that used lazy evaluation, this function returns immediately without waiting. This function may block for longer than `timeout_duration` due to ...



std::future::get

The `get` member function waits (by calling `wait()`) until the shared state is ready, then retrieves the value stored in the shared state (if any). Right after calling this function, `valid()` is false.

...

std::future::wait_until

`wait_until` waits for a result to become available. It blocks until specified `timeout_time` has been reached or the result becomes available, whichever comes first. The return value indicates why ...



1mwh (500kw/1mw)
AIR COOLING
ENERGY STORAGE CONTAINER



What is a Future and how do I use it?

A future represents the result of an asynchronous operation, and can have two states: uncompleted or completed. Most likely, as you aren't doing this just for fun, you actually need the ...

Mockito is currently self-attaching to enable the inline-mock-maker

I get this warning while testing in Spring Boot: Mockito is currently self-attaching to enable the inline-mock-maker. This will no longer work in future releases of the JDK. Please add ...



- ✓ 100KW/174KWh
- ✓ Parallel up-to 3sets
- ✓ IP Grade 54
- ✓ EMS AND BMS

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.crossworldtours.co.za>